



Attestation Number: 8029-INP-24
Initial Effective Date: 21-Mar-2022
Attestation Expiry Date: 31-Mar-2025

Attestation of Input Compliance

This attestation is based on the compliance of products which are approved for use in organic production, at the discretion of the operator's certification body, with the national organic standards of Canada CAN/CGSB-32.310 and 32.311.

This attestation expires on the date noted above or until it is suspended or cancelled by the Centre for Systems Integration.

High Brix Manufacturing Inc.

25147 Township Road 490
Leduc County, AB, T4X 2N4, Canada.

This attestation confirms the compliance of the products as per the attached list.

Input Supplier #: 8029-INP

A handwritten signature in blue ink, appearing to read 'Ryan W. K.', is written over a horizontal line.

Signature of CSI Representative

31-Mar-2024

Issue Date

Certification Body:

The Centre for Systems Integration (CSI)*
85 Albert Street, Suite 1100
Ottawa, Ontario, Canada K1P 6A4
1-800-516-3300



CSI
Centre for Systems Integration

Input Supplier: High Brix Manufacturing Inc.
 Input Supplier Number: 8029-INP
 Attestation Number: 8029-INP-24
 Issue Date: 11-Jun-2024

LIST OF PRODUCTS APPROVED FOR USE IN ORGANIC PRODUCTION

An operator intending to use any product listed below as approved for use in organic production under the Canadian organic standards, CAN/CGSB-32.310 and CAN/CGSB-32.311, must verify with their certification body that the product is acceptable for use prior to incorporation into the organic system plan.

PRODUCT	Intended use (CF=crop fertility; CP=crop protection; LF=Livestock feed; LH=Livestock healthcare; P=Processing input)	BRAND NAME	RESTRICTIONS
Ful-Humix	CF	BIOAG	Shall not cause a build-up of heavy metals or micronutrients in soil.
Ful-Humix L	CF	BIOAG	Shall not cause a build-up of heavy metals or micronutrients in soil.
Ful-Power	CF	BIOAG	Shall not cause a build-up of heavy metals or micronutrients in soil.
Micronized Soft Rock Phosphate	CF	High Brix Manufacturing	
GSR Calcium Genesis Soil Rite Dormant Mix	CF	Soil Works	
GSR Calcium Genesis Soil Rite Growing Mix	CF	Soil Works	

MATERIAL SAFETY DATA SHEET

ZumSil

Version 001

Last review
07.08.2023

Section 1 Identification of the mixture and of the company

1.1 Product identifier

Product name ZumSil
Synonyms MONO-SILIC ACID

1.2 Relevant identified uses of the mixture and uses advised against

Use of the product Fertilizer
Uses advised against No information available at present.

1.3 Details of the supplier of the Safety Data Sheet

Manufacturer Terra Tech Int. LLC
320 S. Flamingo Rd. #339
Pembroke Pines, FL 33027
USA
Supplier High Brix Manufacturing Inc.
Address 25147 Township Road 490
Leduc County, AB - T4X 2N4
Phone (technical) +1 587-671-0111
E-mail info@highbrixmanufacturing.com

1.4 Emergency telephone number

Phone (medical) +1-844 POISON-X(764-7669)
(Canada Poison Control Center)

Section 2 Hazards identification

2.1 Classification of the mixture

NFPA Ratings: Health: 1 Flammability: 0 Reactivity: 0

2.2 Label elements

Label Hazard Warning: Non-hazardous.
Label Precautions: None.
If swallowed, do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. In all cases call a physician.

Label First Aid:

2.3 Emergency Overview

HAZARDOUS in case of eye contact, ingestion or inhalation.

2.4 Terra Tech International SAFETY-Ratings (Provided here for your convenience)

Health Rating: 1 – Slightly hazardous, Irritant
Flammability Rating: 0 – nonflammable
Reactivity Rating: 0 – Nonreactive
Contact Rating: 0 – Non-hazardous
Lab Protective Equip: EYE PROTECTION (GOGGLES); LAB COAT or APRON; PROPER GLOVES
Storage Color Code: White

2.5 Potential Health Effects

Inhalation: May cause respiratory tract irritation.
Ingestion: Ingestion is unlikely to have any toxic effects, but the product may act as an intestinal irritant.
Skin Contact: Harmful effects are not expected from short periods of exposure. Prolonged or repeated exposure may cause irritation.
Eye Contact: May cause eye irritation; Symptoms may include discomfort or pain, excessive blinking, and tear production.
Chronic Exposure: Prolonged lung contact to the respiratory tract may cause irritation. Prolonged skin contact may lead to irritation. No target organ chronic effects under normal conditions of use.

MATERIAL SAFETY DATA SHEET

ZumSil

Version 001

Last review
07.08.2023

Aggravation of Pre-existing Conditions:

Because of its irritating properties, dust and allergens may aggravate pre-existing eye, skin, and respiratory conditions.

Section 3 Composition/information on ingredients

Ingredients	CAS Number	Percentage	Hazardous
WATER	7732-18-5	76 %	No
MONO-SILICIC ACID	7699-41-4	24 %	No

Section 4 First aid measures

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. Exposed persons should be kept under medical observation for 24 hours. Inhalation is not a normal route of exposure.

Ingestion: Treat systematically. Not expected to be toxic by ingestion.

Skin Contact: No emergency care is anticipated. Wash skin with soap and water. Remove contaminated clothing. Wash clothing before reuse. Obtain medical attention if irritation persists.

Eye Contact: No emergency care is anticipated. Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Cold water may be used. Get medical attention if discomfort persists.

Section 5 Firefighting measures

Fire: Flash point: > 230°F

Special Fire Fighting Instructions: Use water spray to cool fire exposed containers and structures. Do not direct solid water stream into burning molten material, thus causing splattering and spreading of the fire.

Fire Extinguishing Media: Powder, CO₂, dry chemical, water spray, foam.

Products of Combustion: Small amounts of silicon oxides may be released.

Special Information: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

Section 6 Accidental release measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Prevent entry to sewers, basements, or confined areas; dike if needed. Floors may be slippery and use care to avoid falling. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The Toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Section 7 Handling and storage

Never use pressure to empty containers. Protect against physical damage. Store in a cool, dry and well-ventilated location. Outside or detached storage is preferred. Separate

MATERIAL SAFETY DATA SHEET

ZumSil

Version 001

Last review
07.08.2023

from incompatibles. Containers should be bonded and grounded for transfers to avoid static sparks. Containers of this material are non-hazardous when empty.

Section 8 Exposure controls/personal protection

Airborne Exposure Limits: Not normally needed. Ventilation is not normally required. If there is a large spill, wear an appropriate organic filter mask to reduce lung irritation.

Skin Protection: Not normally needed. Wear appropriate protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to minimize skin contact when handling large quantities.

Eye Protection: Not normally needed. Wear appropriate chemical safety glasses or goggles and/or a full face shield where splashing is possible.

Section 9 Physical and chemical properties

Appearance: Clear
Grey-Dark
Grey liquid.

Odor: None.

Solubility: Soluble in water.

Specific Gravity: 1.30

PH: 12.5

% Volatiles by volume @ 21°C (70°F): Not available

Boiling Point: > 230°F.

Melting Point: No information found.

Vapor Pressure: N/A.

Vapor Density: N/A

Section 10 Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: Silicon oxides may form when burned.

Hazardous Polymerization: Will not occur.

Incompatibilities: Select water reactant metals.

Conditions to Avoid: N/A.

Section 11 Toxicological information

Toxicological Data: This product may cause eye irritation. This product is non-hazardous under normal conditions of use. OSHA/HMIS has listed silicon dioxide as non-hazardous under normal conditions of use.

Section 12 Ecological information

Environmental Fate: This product under normal dilution to drains, sewers, and treatment plants is not considered environmentally harmful.

Environmental Toxicity: This product under normal dilution to drains, sewers, and treatment plants is not considered environmentally harmful.

Section 13 Disposal considerations

This product is considered a non-hazardous waste under RCRA, as supplied. Whatever

MATERIAL SAFETY DATA SHEET

ZumSil

Version 001

Last review
07.08.2023

cannot be saved for recovery or recycling should be handled as non-hazardous waste and can be sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14 Transport Information

14.1 Domestic (Land, D.O.T.)

Proper Shipping Name: Non-hazardous
Hazard Class: Non-hazardous
UN/NA: Non-hazardous
Packing Group: N/A
Information reported for product/size: 55 gal drum & 275 gal totes

14.2 International (I.M.D.G.)

Product is not regulated by IMDG.

14.3 International (Air, I.C.A.O.)

Proper Shipping Name: Non-hazardous
Hazard Class: Non-hazardous
UN/NA: N/A
Packing Group: N/A
Information reported for product/size: 55 Gallon drum

Section 15 Regulatory information

Chemical Inventory Status - Part 1

Ingredients	CAS Number
WATER	7732-18-5
SILICIC ACID	7699-41-4

This product is regulated by the Environmental Protection Administration, under the U.S. Environmental Protection Act as a non-hazardous fertilizer. The MSDS is prepared to the OSHA Hazard Communication Standard, 29CFR 1910:1200

Section 16 Other information

This information only concerns the above-mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

i. Indication of changes

Date of printing August 7, 2023